

Epson EcoTank ET-16655

Brand : Epson

Product family: EcoTank

Product code: C11CH71411BA

Product name : EcoTank
ET-16655

- Fast, time-saving printing: Enjoy print speeds up to 25ppm* in both black and colour
 - A3+ multifunction printer with touchscreen, ADF and fax: High quality print, copy, scan and fax with large paper trays for low-intervention printing
 - Multiple connectivity options let you print with ease: Wi-Fi, Wi-Fi Direct, Ethernet & free mobile printing apps*
 - One set of replacement inks prints up to 7,500 pages in black and 6,000 pages in colour*: Just add paper for low intervention printing!
 - Number 1 ink tank printer brand worldwide*: 100m EcoTank printers sold worldwide*
 - Simple hassle-free ink tank system lets you refill from bottles: Plus the EcoTank key-lock bottle system ensures it's mess-free too
- EcoTank ET-16655



Printing		Input & output capacity	
Duplex printing mode	Auto	Auto document feeder (ADF)	✓
Print technology *	Inkjet	Auto document feeder (ADF) input capacity	50 sheets
Printing *	Colour printing	Paper handling	
Duplex printing *	✓	Maximum ISO A-series paper size *	A3
Maximum resolution *	4800 x 1200 DPI	Paper tray media types *	Envelopes, Plain paper
Print speed (black, normal quality, A4/US Letter) *	32 ppm	ISO A-series sizes (A0...A9) *	A3, A3+, A4, A5, A6
Print speed (colour, normal quality, A4/US Letter)	32 ppm	ISO B-series sizes (B0...B9)	B6
Print speed (ISO/IEC 24734) mono	25 ipm	Envelopes sizes	10, DL
Print speed (ISO/IEC 24734) colour	25 ipm	Paper tray media weight	64 - 300 g/m ²
Print speed (ISO/IEC 24734) black	25 ppm	Ports & interfaces	
Print speed (ISO/IEC 24734) colour	25 ppm	Direct printing *	✓
Duplex print speed (black, normal quality, A4/US Letter)	21 ppm	USB port	✓
Duplex print speed (colour, normal quality, A4/US Letter)	21 ppm	Network	
Time to first page (black, normal)	5.5 s	Wi-Fi *	✓
Time to first page (colour, normal)	5.5 s	Ethernet LAN *	✓
Borderless printing	✓	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Copying		Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP
Duplex copying *	✓	Mobile printing technologies	Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint
Duplex copying mode	Auto	Design	
Copying *	Colour copying	Product colour *	Black
Scanning		Market positioning *	Home & office
Duplex scanning *	✓	Built-in display *	✓
Duplex scanning mode	Auto		
Scanning *	Colour scanning		

Scanning		Design	
Optical scanning resolution *	1200 x 2400 DPI	Display	LCD
Scanner type *	Flatbed & ADF scanner	Display diagonal	10.9 cm (4.3")
Scan technology	CIS	Control type	Touch
Scan to	Cloud	Colour display	✓
Image formats supported	BMP, JPEG, TIFF, PNG	Power	
Document formats supported	PDF	Power consumption (copying)	19 W
Fax		Power consumption (ready)	9.5 W
Duplex faxing	✓	Power consumption (sleep)	0.8 W
Faxing *	Colour faxing	Power consumption (off)	0.2 W
Fax transmission speed	3 sec/page	Energy Star Typical Electricity Consumption (TEC)	0.14 kWh/week
Modem speed	33.6 Kbit/s	AC input voltage	220 - 240 V
Fax memory	550 pages	AC input frequency	50/60 Hz
Auto-redialing	✓	System requirements	
Speed dialling	✓	Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP Professional x64, Windows XP
Fax forwarding	✓		Mac OS X 10.6 Snow Leopard
Error Correction Mode (ECM)	✓	Mac operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2003 R2, Windows Server 2003
Features		Server operating systems supported	
Duplex functions *	Copy, Print, Scan	Weight & dimensions	
Number of print cartridges *	4	Width	515 mm
Printing colours *	Black	Depth	500 mm
Input & output capacity		Height	350 mm
Total number of input trays *	3	Weight	21 kg
Total input capacity *	550 sheets	Packaging data	
Total output capacity *	125 sheets	Package width	558 mm
Paper tray 1 input capacity	250 sheets	Package depth	585 mm
Paper tray 2 input capacity	250 sheets	Package height	440 mm
		Package weight	24.6 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	4500 pages
		Included cartridge capacity (CMY)	2800 pages
		Cables included	AC



8715946734552

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.